

HEARING PROTECTION

Dispenser for Foamplug

**Features:**

- Dispenser for any foamplugs
- Perfect for industries such as aviation, maintenance, textile, manufacturing, metal working, and construction

**Features:**

- Thinner and more flexible headband design
- Suitable for all kinds of work environments
- Available in three colors, yellow (high), blue (medium), and white (low)

HPE Muff		

**Features:**

- Designed specifically for very high noise levels
- Ideal for airfields, power plants, and other areas with intense noise
- NRR-26dB
- ANSI 53.19-1974, EN352, CSA CLASS A



Connected by Cable Earmuff

**Features:**

- A comfortable hearing protector equipped with a hard-wired lead (3.5mm) and boom microphone
- For connection to push-to-talk, or lapel microphone (no noise cancelling)
- Available in cap and headband model
- Noise-cancelling boom microphone permits two-way communication with minimal interference from background noise
- ANSI 53.19-1974, EN352, CSA CLASS A

► **EXC Muff****Features:**

- Comfortable to use
- Offer force adjustment for individual fit
- NRR-24dB
- ANSI 53.19-1974, EN352, CSA CLASS A

► **Supreme Pro****Features:**

- Two separate, well-shielded microphones for optimum stereo effect and location of sound direction
- Around 600 hours battery life with two standard AAA batteries
- AUX input for external audio sources
- ANSI 53.19-1974, EN352, CSA CLASS A

HEARING PROTECTION

► EXC Cap Model

Muff Only



Features :

- It's mounted at the helmet, and comfortable
- Offer force adjustment for individual fit
- NRR-25dB
- ANSI 53.19-1974, EN352, CSA CLASS A

► HPE Cap Model



Muff Only

► Suprano Muff for Hats

Muff Only



Features :

- Fit all full brim hats
- Provide high-level hearing protection
- NRR - 25dB
- ANSI 53.19-1974, EN352, CSA CLASS A

Features :

- Designed specifically for very high noise levels
- Ideal for airfields, power plants, and other areas with intense noise
- NRR-27dB
- ANSI 53.19-1974, EN352, CSA CLASS A

HEARING PROTECTION

► Hearing Protection



CE

- Ear plug with extra plug
- Soft caps with flexible and durable band
- Provides sufficient harmful noise reduction
- Fit comfortably over the ear canal
- Supply with spare plug
- NRR : 22dB



CE

- Ear plug foam with cord
- Provides comfortable and close-fitting seal against harmful noise
- Soft foam material ear plug
- One size fits all
- NRR : 23dB



CE

- Ear plug corded with case
- Soft and thin pliable with triple flange design
- Reusable ear plug
- Fit the ear canal perfectly
- NRR : 22dB

► Hearing Protection



Helmet mounted ear defenders
Any easy to attach helmet mounted ear defender which is suitable for use in medium duty industrial application



CE

- Earmuff
- Light in weight, the headband can be folded, it can be worn in 3 positions
- NRR : 26dB
- Color : yellow



CE

- Neckband earmuff
- Conform to CE EN 352-1:2002 standard
- Twin stainless steel wires connected with PVC shrink tube
- Light in weight, it can be worn behind neck or under chin
- NRR : 26dB



CE

- Earmuff
- Conform to CE EN 352-1:2002 standard
- Light in weight, it can be worn in 3 positions overhead, behind neck or under chin
- NRR : 26dB



